INDEX TO VOLUME—51

All new names are printed in *italics*

Acalyptratae, 302
Acanthia capitata, 574
Acaricoris, 242, 243
  austeris, 244
  barroanus, 244
Acarina, 174, 294, 441, 471, 503
Aceosejidae, 471
Acetyl thiocholine, use of in the histochemical study of the action of organophosphorus insecticides, 436
Acraspis pezomachoides, 194
Acrididae, 177
Aedes
  aegypti, 221, 257, 464, 596
  atlanticus, 210
  atropalpus, 221
  canadensis, 210, 464
  dupreei, 210
  fitchii, 210
  grossbecki, 464
  muelleri, 219
  nigromaculis, 383
  stimulans, 210, 464
  thibaulti, 219
  triseriatus, 219
  trivittatus, 209, 210
  vexans, 210, 596
  zoosophus, 219
Aedes, pasture, of Central California, 360
  dorsalis, 360
  inornata, 361
  melanimon, 360
  nigromaculis, 360
  occidentalis, 361
  squamiger, 36
  tarsalis, 361
Agapostemon, 539
  radiatus, 542
  sp., 542
  zosteronedys, 155
Ageneotettix deorum deorum, 179
Aglaocoris, 242
Agromyzidae, 344, 557
Agulla
  bractea, 129
  unicolor, 187
Aleuropleurocelus
  acaudatus, 125
  ceanothi, 122
  coachellensis, 120
  laingi, 120
  nigrans, 123
  oblanceolatus, 124
  ornatus, 121
  sierrae, 122
Aleyrodes spiraeoides, biology of, 486
Allelocrosis, 242
Amblyseiopsis, 70
  aeralis, 75
  americanus, 74
  elongatus, 79
  floridanus, 79
  gracilis, 79
  largoensis, 76
  limonicus, 72
  mexicanus, 75
  musae, 73
  oregonensis, 78
  ovatus, 78
  potentillae, 76
  reticulatus, 77
  septa, 78
  sexta, 72
  tropicanus, 77
Amblyseius, 70
  elongatus, 476
  exopodalus, 476
  fragariae, 475
  grandis, 70
  quadripilis, 71
Amphitornus sp., 182
Analysis, paper chromatographic, of certain protein constituents from the house fly, 167
Anatomy, external, of larva of Nacerdes melanura, 222
Ancylosceles, 539
  armata, 545
Andrena, 539
  argemonis, 544
  bipunctata, 544
  erythronii, 159
Andrenidae, 539
Anobiidae, 186
Anopheles
  barberi, 219
  occidentalis, 363
  pharoensis, 189
  punctipennis, 221
  quadrimaculatus, 257
Anthidium, 539
  maculosum; 544
Anthophora, 539
  walshii, 545
Aphidius testaceipes, 1
Aphis gossypii, 2
Aphidae, 539
Apiomerus spissipes, 181
Apis, 539
  mellifera, 437, 543, 546
Apoidea, 155, 365
Aradidae, genera and species of American apterus, 246
Argas (Carios)
  fischeri, 25
  vespertilionis, 20
Argasidae, 19, 294, 317
Arphia xanthoptera, 179, 182
Asaphes fletcheri, 1
Asterocoris, 242
Augochlora, 539
  elliotti, 179
  pura, 542
  sp., 182
Augochlorella, 539
  aurata, 542
  striata, 542
Augochloropsis, 539
  brachycephala, 542
  cuprea, 542
  diversipennis, 542
  sparsilis, 155, 542
Automola, 303
  atomaria, 303
  caloptera, 303
  rufa, 303
Bees, dorsal vessels of, 538
Belopria near Lonchopria, 539
  zonata, 542
Biology of
  Agulla bractea, 129
  Asaphes fletcheri, 2
  Brazilian halictid bees, 155
  cockroaches, 53
  Culex (Barraudius) pusillus, 189
  Ernobius melanoventris, 187
  Hesperocimex sonorensis, 38
  Homoenoeuria, 380
  Hornia, 390
  Hyalomma sp. No. 1 near excavatum, 10
  Lynchia hirsuta, 95
  Malezonotus, 200
  Megachile relativa in trap nests, 337
  melon leaf miner, 557
  Phorostoma tabanivora, 552
  royal palm bug, 547
  sarcosaprophagous Calliphoridae and Sarcophagidae, 261
  some new world carpenter bees, 365
  Stilbometopa impressa, 95
Biology, effect of parental age on life cycle of the mealworm, 429
Blaberus craniifer, 53
Blatta orientalis, 53
Blattella
  germanica, 53
  vaga, 53
Bombus, 539
  ephippiatus, 540
  fraternus, 546
  medius, 546
Book Notices: Authors:
  Bailey, Stanley F., 188
  Bodenheimer, F. S., 551
  Camras, Sidney, 173
  Darlington, Philip J., 507
  Eldridge, Bruce F., 154
  Evans, Howard, 411
  Hurd, Paul D., Jr., 173
  James, Maurice T., 154
  Kraus, Manfred, 106
  Lechevalier, Paul, 389
  Lindroth, Carl H., 605
  Matsuda, Ryuichi, 396
  Lorenz, Herbert, 106
  Rehn, James A. G., 604
  Stannard, Lewis J., 405
  Swirski, E., 551
  Usinger, Robert L., 396
  Zimmerman, Elwood C., 106
Book Notices: Titles:
  Die Larvalsystematik der Blattwespen (Tenthredinoidea und Megalodontoidea), 106
  Heteroptera: Aradidae. Insects of Micronesia, 396
  Insects of Hawaii, 106
  Longicornia, Etudes et Notes sur les Longicornes, Vol. III, 389
  Studies on the Comparative Ethology of Digger Wasps of the Genus Bembix, 411
  The Aphidoidea of the Middle East, 551

The Conopid Flies of California, 173
The Faunal Connections Between Europe and North America, 605
The Grasshopers and Locusts (Acridoidea) of Australia. Volume III, Family Acrididae: Subfamily Cyrtacanthacridinae, Tribes Oxyini, Spathosternini, and Praxibulini, 604
The Phylogeny and Classification of the North American Genera of the Suborder Tubulifera (Thysanoptera), 405
The Thrips of California. Part I: Suborder Terebrantia, 188
The Typical Muscid Flies of California, 154
Zoogeography: The Geographical Distribution of Animals, 507
Bruchella nigra, 494
Bryobia
apsheronica, 504
artemisiae, 504
bakeri, 504
borealis, 504
curiosa, 504
eharai, 506
goriensis, 504
kakuliana, 504
lagodechiana, 504
longisetis, 504
praetiosa complex, 504
rustavensis, 504
sarothamni, 504
spica, 504
urticae, 504
Byrsotria fumigata, 53

Calcium, in insects, 142
Callaspidia quercus-globuli, 194
Calliphoridae, 261
Calliopsis, 539
andreniformis, 544
Calopus angustus, 222
Carabidae 432
Cariblatta lutea minima, 53
Carios, 20
Carventini, 242
Centris, 539
lanosa, 545
vittata, 543
Cephalonomia utahensis, 187
Ceratina, 539
dupla, 545
Ceratitis capitata, 109
Chauliodes, larvae of, 582
pectinicornis, 585
rastricornis, 584
Chlaenius
amplus, 432
tomentosus lacustrinus, 432
tomentosus, 432
Choristoneura fumiferana, 400
Cicadellidae, 230
Cimex lectularius, 45
Cimexopsis nyctalis, 33
Cimicidae, 33
Circulifer tenellus, 574
Cissites
auriculata, 372
maculata, 372
Cockroaches, reproduction and development in, 53
Coelioxys, 539
banksi, 343
lucrosa, 343
moesta, 343
octodentata, 544
spp., 340
Coleoptera, 51, 164, 186, 214, 222, 248, 390, 432
Coleoptera, digestive tract pH of six species, 403
Colletes, 539
punctipennis, 542
Colletidae, 539
Coniceps niger, 303
Conophthorus radiatae, 214
Corydalidae, 582
Corydalis cornuta, 584
Cotinis nitida, 403
Ctenicera aeripennis destructor, effects of seeds of certain plants on growth of larvae, 248
effects of sterilized flax seed and sterilized soil on growth, 164
survival of newly hatched larvae of, 51
Culex
pipiens, 598
quinquefaciatus, 221
restuans, 221
spp., 596
stigmatosoma, 364, 383
tarsalis, 363, 383
territans, 221
Culex (Barraudius)
lacticinctus, 189
laurenti, 189
molestus, 189
pusillus, 189
Culicidae, 189, 209, 217, 383, 596, 600
Culiseta inornata, 211, 362
Cynomyopsis cadaverina, 261

Dacus
cucurbitae, 109
dorsalis, 109
DDT, effect of on blood of Tenebrio molitor, 554
Diadasia, 539
diminuta, 545
enavata, 545
Dianthidium, 539
sayi, 544
Dibrachys sp., 340
Dichelacera (Psalidia) *scurra*, 526
Dicladocera
exilicorne, 522
mutata, 521
tribonophora, 521
umbratipenne, 522
Dihybogaster, 242
Diploptera punctata, 53
Diptera, 95, 167, 189, 209, 217, 261, 288, 299, 302, 344, 383, 509, 517, 552, 557, 587, 596, 600
Disholcaspis
cinerosa, 194
colorado, 194
mamma, 194
quercus-globulus, 193, 198
spongiosa, 197
virens, 196
washingtonensis, 198
Dissoteira carolina, 179, 182
Dufourea, 539
marginata, 544

Eggs of floodwater mosquitoes, development, structure, and function of coverings of, 464
Elateridae, 51, 164, 248
Emydocoris, 242
Encarsia coquilletti, 486
Encoptolophus subgracilis texensis, 182
Enzymes, dehydrogenase, activity of, during metamorphosis of Tenebrio molitor, 311
Ephemeroptera, 491
Epicharis, 539
elegans, 543
Epilatea
arcuata, 306
erosa, 306
hondurana, 306
isthmi, 308
recta, 308
Equipment
bait trap for the eye gnat, 352
Eriophyidae, 69
Ernobius
melanoventris, 187
pinicola, 188
Euarestoides, 288, 290
abstersa, 290
acutangula, 291
arnaudi, 291
dreisbachi, 293
Eubadizon ernobii, 187
Eucalliphora
lilaea, 261
terra-novae, 261
vicina, 261
vomitaria, 261
Euglossa, 539
cupreiventris, 543
Eulaema, 539
dimidiata, 543
mussitatus, 546
Eunotoplocoris, 242
Euplusia, 539
coerulescens, 543
Eurycotis floridana, 53
Eurytoma
brevivena, 198
fulva, 197
furva, 198
punctiventris, 193
querci-globuli, 193
querci-globuli *rubra*, 196
querci-globuli *utahensis*, 197
Eurytomidae, 193
Euscelis gentilis, 230
Exaerete smaragdina, 546
Exomalopsis, 539
solani, 545
sp. near diversipennis, 545

Farula, 531
davisi, 534
jewetti, 533
malkini, 532
rainieri, 533
Fidena
auribarba var. albibarba, 528
gracilis, 528
Florilegus, 539
condignus, 445
Formicidae, 81, 535
Frigartus obesus, 230
Fruit Flies, Hawaiian, effect of constant temperature on eggs of, 109

Garmania, 70
bulbicola, 479
Genitalia, external, origin of in insects, 84

Geocoris pallens, 486
Glyptocoris, 242
Group
"teresopolitanus", 242
"usingeri", 242

Haemogogus, 217
equinus, 217
sp., 221
Haematosiphon inodorus, 38
Halictidae, 539
Halictus divaricatus, 155
Halictus (Halictus)
legatus, 542
parallelus, 542
Halictus (Seladonia), 539
hesperus, 542
Heat, artificial, to induce mosquitoes to feed on cold-blooded animals, 257
Heliothis zea, 413
behavior of the imago of, 271
Hemiptera, 33, 199, 241, 480, 547, 567
Hemixantha, 310
Heriades, 539
carinata, 544
variolosa, 544
Hesperocimex
coloradensis, 33
sonorensis, 33, 34
Heteranthidium, 539
zebratum, 544
Heteroptera, 199
Hippelates
bishoppi, 351
collusor, 351
dissidens, 351
pallipes, 351
particeps, 351
plebejus, 351
proboscideus, 354
pusio, 351
saundersi, 352
Hippoboscidae, 95
Homoeoneuria, 376
ammophila, 380
dolani, 378
sp., 380
Homoptera, 230
Horia maculata, 372
Hornia
boharti, 392
mexicana blomi, 395
mexicana neomexicana, 393
multipennis, 390
multipennis multipennis, 390
multipennis occidentalis, 390
Hyalomma, 7
anatolicum, 18
anatolicum anatolicum, 398
aegyptium, 10
dromedarii, 8, 15, 18
excavatum, 15, 18
franchinii, 397
impeltatum, 8, 13, 15, 16, 17, 18
marginatum, 14,
rufipes, 12, 18
sp. No. 1 near excavatum, 8, 15, 18
[tunesiacum], 398
[tunesiacum amurense], 399
[tunesiacum ganorai], 398
[tunesiacum pavlovskyi], 398
[tunesiacum turkmeniense], 399
Hyalomma ticks, Egyptian
infestation of greater gerbils, 17
parasitism of lizards by nymphs, 7
parasitism of migrating birds, 12
Hybomitra trepida, 552

Hylaeus, 539
cressoni, 542
modestus, 542
Hymenoptera, 81, 155, 177, 193, 337, 365, 535

Insect
behavior, emergence and reproduction of Heliothis zea, 271
nutrition of cockroach, 406
vectors of Haemoproteus lophortyx, 95
vectors of virus diseases of beets, 574
Insects
calcium and magnesium in, 142
origin of external genitalia of, 84
Insecticides, organophosphorus, use of acetyl thiocholine in the histochemical study of, 436
Iphidulus, 69
Ixodidae, 7, 12, 17, 397
Ixodoidea, 7, 12, 17, 19, 317, 397

Lachlania, 381
powelli, 382
saskatchewanensis, 382
Larvaevoridae, 552
Lasioglossum (Chloralictus), 539
rhytidophorum, 155
stultum, 158, 542
Lasioseius *scapulatus*, 478
Leptinotarsa decemlineata, 403
Leptohyphes
indicator, 500
mithras, 497
mollipes, 500
Leptohyphinae, 491
Leptohyphodes Potamanthus? inanis, 496
Leptothorax
andrei, 537
carinatus, 537
mariposa, 536
nitens, 536
nitens var. Heathii, 535
Leptura sp., 403
Lestrimelitta, 539
limao, 546
Leucophaea maderae, 53
Leucospis affinis, 340
Limnephilidae, 531
Liriomyza
guytona, 344
pictella, 557
Lygaeidae, 199
Lynchia hirsuta, 95

Macrosiphum rosae, 2
Magnesium, in insects, 142
Malezonotus, 201
angustatus, 207
arcuatus, 206
barberi, 206
fuscosus, 202
grossus, 205
rufipes, 201
sodalicius, 204
Mcateella, 568, 579
elongata, 579
gibber, 579
interioris, 579
splendida, 568, 579
Megachile, 539
brevis, 543
inermis, 342
relativa, 337
Megachilidae, 337, 539
Megaloptera, 539, 582
genalis, 542
Melanophus
angustipennis, 179
arizonae, 179
bispinosus, 179
bivittatus, 179
devastator, 179
differentialis, 179
femur-rubrum, 179
femur-rubrum propinquus, 183
foedus, 179
lakinus, 179
spretus, 179
spp., 179
Melipona, 162, 538
beechei, 546
marginata, 543
schencki picadensis, 546
scutellaris scutellaris, 546
Melissodes, 539
agilis, 540
coloradensis, 540
Melitoma, 539
euglossoides, 545
Melittobia chalybii, 340
Meloidae, 309
Mermiria neomexicana, 179
Methods
acid hydrolysis techniques to determine chemical nature of protein constituents, 167
analysis, paper chromatographic, of protein constituents from the house fly, 167
colonizing Psorophora howardii, 596
composition of medium for aseptic rearing of house fly, 300
feeding ticks on human blood through animal-derived membranes, 294
for determining reproductive patterns in corn earworm, 413
for rearing royal palm bug, 547
for studying isolated heart of a beetle, 27
for testing reactions of ticks to temperature, humidity, smell, gravity, and light, 317
larvaevorid maggot drop for measuring trends in spruce budworm populations, 400
use of trap-nests to study biology of Megachile relativa, 337
Metopia leucocephala, 181
Mezirinae, 242
Miespa reedi, 568, 579
Monocesta coryli, 403
Monoeca, 539
mexicana, 543
Morphology
of Agulla bractea, 129
of Piesmatidae, 567
serial, as a technique for determination of reproductive patterns in the corn earworm, 413
Mosquitoes, floodwater colonization of, 596
coverings of eggs of, 464
effect of oxygen on hatching of insect eggs, 209
Mosquitoes, survival of pupae on moist soil, 383
Musca domestica, 167, 255, 299, 436
Muscidae, 167, 299

Nacerdes melanura, external anatomy of larva, 222
Nauphoeta cinerea, 53
Neopasites, 539
illinoiensis, 545
Neostylopyga rhombifolia, 53
Neuroptera, 129
Nomada, 539, 545
Nomia, 539
foxii, 544
heteropoda, 543
Notoplocoris, 242

Obituaries:
Beamer, Raymond Hill, 410
Esaki, Teiso, 410
Odontomera
ferruginea, 303
limbata, 304
nitens, 310
Oedemeridae, 222
Oligoneuriidae, 375
Oncopeltis fasciatus, feeding and nutrition of, 283
Ornithodoros
erraticus, 317
savignyi, 294
Orphulella p. pelidna, 182
Orthopodomyia
alba, 219
signifera, 219
Osmia, 539
lignaria lignaria, 544
Osmoderma scabra, 403
Oxaea, 539
flavescens, 543
Ozaenina, 310

Paragapostemon mutabilis, 155
Paraidemona sp., 182
Paranthidium, 539
sp., 544
Paratetrapedia, 539
oligotricha, 541
Paroxystoglossa, 539
jocasta, 542
Pardalophora phoenicoptera, 179
Passalus cornutus, 403
Peggicoris, 242, 245
Peponapis, 539
sp., 545
Perdita, 539
°lacteipennis, 544
Periplaneta
australasiae, 53
brunnea, 53
fuliginosa, 53
Periplaneta americana 53, 436
effect of inositol on growth, survival, and maturation, 406
formate metabolism in, 126
Phaenicia sericata, 261
Philipotabanus
fascipennis, 529
fucosus, 526
stigmaticalis, 529
Phlebotomus
beltrani, 512
deleoni, 510
isovespertilionis, 516
steatopygus, 512
vesciferus, 510
vespertilionis, 514
viriosus, 510
Phormia regina, 261
Phorostoma tabanivora, 552
Phosphatases, acid and alkaline, in house flies of different ages, 255
Phytoseiidae, 69, 471
Phytoseiulus, 70
macropilis, 70, 477
setosa, 71
Pictinus, 242, 245
brachypterus, 245
Piesma, 573
brachiale, 577
ceramicum, 578
cinereum, 567, 576
costatum, 573
explanatum, 574, 578
patruele, 577
proteum, 568, 578
quadratum, 572
Piesma (foreign)
bicoloratum, 575
capitatum, 575
chinianum, 575
convexicollis, 575
dilutum, 575
dispar, 575
distans, 575
jugatum, 575
kochiae, 575
kolenatii, 575
lukugae, 575
maculatum, 575
marginepictum, 575
minimum, 575
pupulum, 575
quadratum, 575
rotundatum, 575
rotundicollis, 575
salsolae, 576
silenes, 576
suaedae, 576
tenellum, 576
unicolor, 576
variabilis, 576
Piesmatidae, 567, 573
Popilius disjunctus, low temperature studies on the isolated heart of, 27
Praon aguti, 1
Prionyx
atratus, 178
bifoveolatum, 183
ferrugineus, 178
pubidorsus, 183
spinolae, 185
striatulus, 185
striatus, 184
subfuscatus, 184
thomae, 181
Protocalliphora avium, 261
Protophormia terrae-novae, 261
Psaenythia, 539
mexicanorum cockerelli, 544
Psectrosciara, 588
bakeri, 592
brevipennis, 594
brevistylis, 591
brunnescens, 590
californica, 593
discata, 592
elongata, 594
forcipata, 591
jamaicensis, 595
luzonensis, 590
oregonensis, 592
rossi, 595
scatopsiformis, 593
serrata, 594
stonei, 593
Pseudagapostemon
divaricatus, 155, 542
perzonatus, 162
Pseudaugochlora, 539
nigromarginata, 542
Pseudopanurgus, 539
sp., 544
Psorophora
ciliata, 464
confinis, 210
cyanescens, 218
ferox, 210, 464
howardii, 464, 596
Psychodidae, 509
Ptiloglossa, 539
mexicana, 542
Ptilothrix, 539
sumichrasti, 545
Pycnoscelus surinamensis, 53
Pymotes ventricosus, 187

Radiant energy, responses of Stomoxys calcitrans to, 449
Raphidiidae, 129
Raphidoidea, 129
Reeceicus, 242
Review of literature on calcium and magnesium in insects, 142
Rhipicephalus sanguineus, 7
Rhopalosiphum maidis, response of four biotypes to sorghums, 250
Rhytidoponera convexa, notes on, 81
Richardia podagrica, 310
Richardiidae, 302

Saldidae, 480
Saldoida
armata, 484
cornuta, 484
slossonae, 483
Saldoidinae, 480
Sarcophaga
bullata, 261
cooleyi, 261
shermani, 261
Sarcophagidae, 261
Scatopsidae, 587
Schistocerca lineata, 179
Schönherria, 373
Sciretetica marmorata picta, 183
Scleroacus
angustatus, 241
anthracinus, 231
arctostaphyli, 234
balli, 240
beameri, 236
bullatus, 232
cacheolus, 234
comptonianus, 236
corniculus, 238
dasidus, 238
finitimus, 232
glomerosus, 232
humidus, 234
kryptus, 231
luteolus, 238
melastigmus, 234
myralis, 236
omani, 231
osborni, 236
paludosus, 241
plutonius, 236
shastus, 234
symphoricarpae, 232
taramus, 236
uhleri, 231

uhleri var. speculatus, 232
vaccinii, 238
varus, 236
Scolytidae, 214
Seiulus, 69
Seius, 69
Sepsisoma
flavescens, 304
Senotainia
rubriventris, 184
trilineata, 181
Setellia, 310
Spharagemon collare, 179
Sphecini, nesting behavior of, 177
Sphecodes sp., 539
Staphylinus, 222
Stenotabanus (Aegialomyia)
calvitiis
insolens, 525
maruccii, 529
sordidatus, 525
tobagensis, 524
Stenotarsonemus pallidus, 471
Stilbometopa impressa, 95
Stizoides unicinctus, 181
Stomoxys calcitrans, responses of to radiant energy and their relation to absorption characteristics of the eye, 449
Stypochela
ocellus, 520
peruviana, 520
Supella supellectilium, 53
Svastra, 539
obliqua, 545

Tabanidae, 517
Tabanus (Lophotabanus)
nereus, 530
polyphemus, 527
praepilatus, 530
praeteritus, 529
quinquepunctatus, 529
rixator, 530
Tarsonemidae, 69
Temnochila virescens, 187
Tenebrio molitor, 311, 429
Tenebrio molitor, effects of DDT on the blood of, 554
Tephritidae, 288
Tetranychidae, 69, 174, 503
Tetranychus
antillarum, 174
australis, 446
bimaculatus, 447
bimaculatus bimaculatus, 447
bimaculatus occidentalis, 448
cinnabarinus, 446
gloveri, 174
lobosus, 446
marylandicus, 445
multisetus, 445
quinquenychus, 174
telarius, 447
tumidus, 174
Thaumastocoridae, 547
Therioaphis maculata, sexuales and eggs of, 346
Thygater, 539
analis, 545
Toxorynchites rutilus septentrionalis, 219
Trialeurodes
abutilonea, 486
vaporarium, 486
Triceratomyia *biramula*, 518
Trichoptera, 531
Tricorythafer
fugitans, 495
Tricorythidae, 491
Tricorythodes
australis, 501
Tricorythopsis, 491
artigas, 492
Triepeolus, 539
concavus, 545
Trigona, 538
beccarii, 546
capitata capitata, 546
jaty jaty, 546
mombuca aequinotiales, 546
nigra paupera, 546
postica, 546
Trimerotropis citrina, 179, 183
Trogoderma
sternale complex, 48
sternale, effects of gamma radiation on, 48
versicolor, 48
Trupanea, 290
Typhlodromus, 70
anchialus, 473
bellinus, 472
brevispinus, 473
occidentalis, 474
reticulatus, 472

Variation, intraspecific, in Chlaenius tomentosus, 432
Virus transmission by Piesma, 574

Wohlfartia opaca, 261
Wyeomyia smithii, monster embryo of, 600

Xenoglossa, 539
fulva, 545
Xenoglossodes, 539
spissa, 543
Xylastodoris luteolus, 547
Xyleus sp., 184
Xylocopa, 365
augusti, 369
brasilianorum, 543
brasilianorum varipuncta, 369
californica arizonensis, 369
fimbriata, 543
frontalis, 371
guatemalensis, 372
micans, 373
peleni, 365
tabaniformis androleuca, 373
tabaniformis tabaniformis, 373
virginica, 545
virginica virginica, 373